ज्ञापांक 676 372903 / आपूर्ति

पुलिस महानिदेशक का कार्यालय, बिहार, पटना पटना,दिनांक-04/06/2015

सेवा में,

निदेशक,

सूचना एवं जनसम्पर्क विभाग, बिहार, पटना

निविदा आमंत्रण सूचना सं0-01/2018-19 के प्रकाशन के संबंध में। विषय—

निदेशानुसार उपर्युक्त विषय के सबंध में निविदा आमंत्रण सं0-01/2018-19 की प्रतियाँ भेजते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी0आर0डी0 वेबसाईट पर भी प्रसारित करने की कृपा की जाय।

इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया

इसकी सूचना देने की कृपा की जाय। अन्0-यथोपरि।

> पुलिस महानिरीक्षक के सहायक (क्यू0), बिहार, पटना

प्रतिलिपि:-

- 1. आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय। साथ ही Indian Trade Journal, Kolkata के अंक में प्रकाशन हेतु Government of India, the Controller of Publications, Civil Lines, Delhi: 110 054, (Tel No. 011-23812527, FAX: 011-23817846), Email Idsk.mondal.dgcis@nic.in के पतेपर भी अनिवार्य रूप से भेजा जाय।
- 2. Government of India, the Controller of Publications, Civil Lines, Delhi: 110 054,(Tel No. 011-23812527, FAX: 011-23817846), Email Idsk.mondal.dgcis@nic.in को कृपया सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित। अनुरोध है कि उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkara के अंक में करने की कृपा की जाय।

पुलिस महानिरीक्षंक के सहायक (क्यू0), बिहार, पटना

Police Headquarters, Bihar, Patna Notice Inviting Tender No.-01/2018-19

- 1. Name of the Department: Office of Director General of Police, Bihar, Patna.
- 2. Date & Time for Pre-Bid Meeting: 18 / 06/2018 At. II:06 AM
- 3. Last date & time for the acceptance of the tender: 09/07/2018, Till 02:00 PM
- 4. Date & time fixed for the opening of the tender: 09/07/2018, At 04:00 PM
- 5. Place fixed for receiving & opening the tender: Office of Director General of Police, Bihar, Patna.

6. Details of Job:

S.N.	Item name	Quantity
1	Baggage X-Ray Scanner	01

Specifications and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website www.prdbihar.gov.in or www.biharpolice.bih.nic.in.

AIG (Q) Bihar, Patna

Terms & Conditions of Tender No.-01/2018-19

X

- 1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
- 2. The tender should be submitted in two parts: (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
- 3. All relevant papers/ E.M.D./certificates/specifications etc. of items should be enclosed in the Technical Bid.
- 4. The rates of the items shall be quoted in the Financial Bid only.
- 5. All charges like IGST/CGST/SGST etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
- 6. The rates of the items shall be quoted in the Financial Bid in two parts:
 - (i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
- 7. There should be no cutting, over writing or correction on the rates.
- 8. The technical and financial bids for each item should be submitted separately in separate envelopes. The technical and financial bids for more than one items submitted together in the same envelope shall not be accepted.
- 9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
- 10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked Tender No-01/2018-19 (Technical Bid) and Tender No-01/2018-19 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as Tender No-01/2018-19. This envelope should not bear the name and address of the firm.
- 11. Income Tax Returns of last three years, a photocopy of GST registration number of the participating firm and turn-over of any two of the previous three financial years should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
- 12. The turnover of the firm for the last reported financial year should be at least double to the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for any two of the previous three financial years, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted. Tender specific authorization from the OEM must be submitted, but in certain cases where authorization from OEM is not required, the Technical-cum-User committee (T.U.C.) shall decide about exemption (if any) on a case-by-case basis; citing appropriate reasons for the same.
- 13. If there is some discount in the price of any item, it should be deducted from price itself and such discounts should not be quoted separately.
- 14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.
- 15. A copy of the test report for the product issued by any established and recognized private Laboratory or by agency accredited by the Government should be attached with the technical bid. However if required, the Technical-cum-User committee (T.U.C.) can take decision regarding exemptions/relaxations (if any), citing appropriate reasons.

- 16. In case of Bullet Proof/Bullet Resistant items, test report of TBRL or any Government Approved/Recognized Laboratory is compulsory.
- 17. Firms participating in this tender shall also submit duly sworn affidavit to the effect that "this_firm has not been black listed/debarred by any Government or Semi Government or Private Agency and no sister concern of this firm is participating in this tender."
- 18. Firms participating in this tender shall also submit the self attested list of users of its equipments.
- 19. All items shall be received at Central Clothing Store, Patna; therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
- 20. Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money deposit in the form of Bank Draft duly pledged in favor of the undersigned along with the quotations. The small scale units located in Bihar shall not be liable to deposit earnest money. Exemption from submitting E.M.D. will also be available to those who are registered with the Central Purchase Organization/State Purchase Organization and National Small Industries Corporation (NSIC).
- 21. Technical Bids will be opened on scheduled date and time in the office chamber of Police Headquarter. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
- 22. The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
- 23. Any paper/document will not be accepted after opening the tender.
- 24. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
- 25. The firm will be required to provide satisfactory after-sales service after the delivery of the product.
- 26. The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
- 27. Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
- 28. The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
- 29. It is expected to submit the duly filled chart attached herewith, along with the technical bid if not the tender shall be summarily rejected.
- 30. Indexing of the requisite documents must be done and submitted along with the technical bid.
- 31. Hands on training for 3 weeks of the equipment must be imparted to the user group by the firm after successful installation.
- 32. Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully, without assigning any reason thereof.
- 33. The Quantity indicated may increase or decrease at the time of issuing purchase order.
- 34. The bids must be include the data sheet of individual item.

A I G (Q) Bihar, Police.



F.No. IV-21011/18/2009-Prov-I 95 95 Bharat Sarkar/Government of India Griha Mantralaya/Ministry of Home Affairs PM Division

26, Man Singh Road, Jaisalmer House New Delhi, Dated 14 November, 2014

To,

DsG: AR (through LOAR), BSF, CISF, CRPF, ITBP, SSB, NSG & BPR&D.

Subject: Trial Directive for X-Ray Baggage Inspection System (Small & Large)

The Trial Directives in respect of X-Ray Baggage Inspection System (Small & Large) as per Annexure have been accepted by the Competent Authority in MHA.

2. Henceforth, all the CAPFs should trial evaluate the above items strictly as per the laid down Trial Directives and Technical Specifications/QRs issued vide letter of even number dated 18.01.2011.

Encl: As above

Cir.

Yours faithfully,

(R.K. Soni) Section Officer (Prov-i)

Tel: 23386034

Copy forwarded for necessary action to :-

The Section Officer (IT), MHA: It is requested to host the Trial Directives (soft copy attached) on the MHA website (under the page of Organizational Set up- Police Modernization Division- Qualitative Requirement under BDDS Equipments.

Copy to: Director (Procurement), MHA.

A/C

12.00

FT OF TRIAL DIRECTIVES FOR X-RAY BAGGAGE INSPECTION SYSTEM (SMALL SIZE).

	I Technical Capalifications	Trial Directives
	Technical Specifications Tunnel Size - 60 cm W (width) x 40 cm H (Height)	
1	+/-10%	through measuring instrument.
2.	Conveyor belt speed should be between 0.18 and	To be practically checked by the BOO
2.	0.3 meter per second. Conveyor movement	through Tachometer.
	bidirectional.	infough factionicies.
; <u></u>	All machines should operate on 230 VAC, 50 Hz	Plug the machine through electrical
] J.	power supply and should be able to withstand	component and check the operation of
•	voltage fluctuations in the range of 170V to 260 V.	the machine within the specified range
i	Single Phase, 3 to 5 Amp.	of power supply.
4.	Conveyor Capacity- 100 kg or more	To be practically checked,
5.	Through put should be 200 bags per hour or more	To be practically checked,
6.	Sensors > 1000 diodes, L-shaped detector (Folded	
) 	array type), In case of defective diode arrays,	To be physically checked,
	scanning should be disabled and error message	
1	should be displayed on the screen.	
7.	X-Ray Voltage - 140 KV or more	Plug the machine through electrical
		component and verify the X-Ray
	! 1	voltage on the screen of VDU
8.	X-Ray Source/Generator - It should be capable to	
	operate smoothly for a period of at least six years.	by the firm.
9.	Duty Cycle - 100%	To be practically checked by the BOO.
		Put the machine continuous on for 24
		hrs and ensure that machine functions
	 	properly.
10.	The X-ray beam divergence should be such that the	To be practically checked by the BOO.
	complete image at maximum size of bag is	Place the baggage in the tunnel of
	displayed without corner cuts.	machine and see the image on VDU.
		The complete image at maximum size
		of bag should be displayed without
11.	The radiation level should not avered access	corner cuts on VDU.
1 1,	The radiation level should not exceed accepted health standard (0.1m R/Hr at a distance of 5 CM	
	from external housing). Relevant certificate from	(AERB) certificate will be provided by
	AERB.	the mil.
		j j
12.	The operating temperature normally should be	National/ International Government
	-10 deg C to 50 deg C.	accredited lab certificate will be
		provided by the firm.
13.	Storage temperature -20 degree C to 50 degree	National/ International Government
!	C.	
		provided by the firm.
14.	Humidity- 90% non-condensing	National/ International Government
ļ		accredited lab certificate will be
		provided by the firm.
15.	Resolution: The machine should be able to display	Scan the combined test piece (CTP) in
λ	1	Some the sometimed test piece (CIP) III
Ð	Ra	

Deline James

Denz

- المناس

- Adula

	(FOF) HO
Technical Specifications	Trial Directives
or 36 AWG. All penetration and resolution condition	operational condition of machine without operating any functional key, thereafter 46-SWG or 36 AWG wire should be seen on the VDU.
(Guaranteed) or more.	Scan the CTP in operational condition of machine and see the image of 27mm thickness of steel on VDU and verify the penetration accordingly.
17. Continuous Electronic Zoom facility should be available to magnify the chosen area of an image eight times (8X) or more. Image features shall be keyboard controllable.	To be practically checked by the BOO.
	physically checked by BOO. ii) Remaining parameters of the QRs to be checked through the technical literature of the product in addition to the certificate provided by the OEM confirming the parameters of QRs.
X-ray imaging facility where materials of different	materials with the colours on the
The machine must comply with requirements of health and safety regulations with regard to mechanical electrical and radiation hazards. Before installation of the machine, the supplier/manufacturer should furnish relevant certificate from Atomic Energy Regulatory Board of India regarding radiation safety. The company manufacturing the equipment should have ISO certification for manufacturing and servicing of X-ray Screening machines.	
, · · · · · - - · · · · · · · · · · ·	AERB certificate must be provided by the firm.
bob. Buy.	Hele

619113

H. CARDEN TO THE CONTRACT OF T

...........

		E () () () () () () () () () (
	Technical Specifications	Trial Directives
(2)。在企业中 2012年	. ' Machine should be properly sealed from all the	······································
	sides for pest proof. Dust proof cover is to be	
	provided for covering when system is not in use.	
)	
23	Facility for variable contrast must be incorporated to	Scan the baggage through X-Ray
	allow enhancement of lighter and darker portion of	
	the image.	contrast key for checking of
		enhancement of lighter & darker
į į		portion of the image.
24.		1
ļ	enhancement can be easily implemented to take	, -
	care of new technique in image processing and	
	pattern recognition.	
25.		
Į	have software controlled diagnosis report facility	1
	and system should give printout if printer is connected.	
26.	· · · · · · · · · · · · · · · · · · ·	To be practically checked by the ROO
20.	and password protected.	To be practically checked by the boo.
27.		To be practically checked by the BOO.
<u> </u>	previous images,	
28.	The second separation of an arriving cool of	To be practically checked by the BOO.
 	more images with date & time stamp.	
29.	in the state of th	To be practically checked by the BOO.
ĺ	provision should be available. The operator	
	personal identification number can be entered the	
	keyboard along with generation of log.	<u></u>
30.	Facility of image enhancement should be available.	Scan the baggage through X-Ray
		machine and operate the image
		enhancement key available on the keyboard.
		keyboard.
31.	All models should have online recording facility and	To be practically checked by the BOO.
	images can be recorded in CD R/W or/and USB	
	and should be able to view images so recorded on	; ·
	stand-alone PC.	
32.	Lead Impregnated safety screens should be	i) AERB certificate must be provided
		*
	be covered by relevant AERB certificate. Idle rollers	impregnated safety screens.
	to be provided at either ends of the tunnel to	11) Provision of Idle roller to be
33.	facilitate placing of baggage at input and output.	physically checked by the Board.
	All software features should be controlled from key board of machine only. Keyboard function should be	To be practically enecked by the BOO.
İ	user friendly. To enable/disable the software	
	features system should not be rebooted	
34.		To be practically checked by the BOO.
	then an alarm video and audio both should be	
	generated to notify the operator	
ţ	Λ	S / Qui. 3
U.S.	Meund	3 Charles
~ ~~~~		· ·
	✓ 1	1 0
\mathcal{J}		
VVVV		() () () () () () () () () ()
	and the second s	619/13

			(\sigma)
		Technical Specifications	Trial Directives
		The threat image projection (TIP) system software	To be practically checked by the BOO
-1		to be incorporated in all X-Ray BIS operation as per	
		details given in Annexure-I.	
	36.	Copy of all software including X-Ray Software with recovery CD must be provided.	To be physically checked by the BOO.
	37.		An undertaking to this effect must be provided by the firm.
	38.	Operating & service manual shall be provided with each machine.	To be physically checked by the BOO.
	39.	Other Features	
		a) Edge & variable edge enhancement.	i) The features mentioned at 39(a), (b), (d) & (e) to be practically checked
		b) Inverse Video	by the BOO after scanning the baggage through X-Ray machine.
į		c) Set up time not more that 10 minutes	ii) The feature 39(c) to be practically checked by the BOO. Time should be
		d) Pseudo colour	noted from plugging the machine through electrical component to bring
		e) Date & Time display.	the machine in operation condition.
j	40.	Minimum-Computer Configuration: -	To be physically & practically checked by the BOO.
		1. CPU: Should be able to deliver the output to meet the specifications mentioned as above.	
		2. Hard Disk Drive: 320 GB 7200 rpm serial ATA HDD or Better	
 		3. Mouse: Optical	
		4. Ports: 6 USB Ports (with at least 2 in Front), 1 Serial Port, 1 Parallel port, 1 PS/2 Keyboard and 1 PS2 Mouse Port, audio ports for microphone and headphone in front.	
		5. CD-R/RW Drive : DVD Writer.	
		6. Networking facility: 10/100/1000 on board integrated Network Port with remote booting facility remote system installation, remote wake up, out of band management using any standard management software.	
	41.	·	To be physically/ practically checked by the BOO.

TIPS Feature

2619113

		(104)
7	Technical Specifications	Trial Directives
7	Threat Image Projection	
7 (Tip software facility shall be incorporated in the	To be practically checked by the BOO.
 ,	offered X-ray machine to assist supervisors in	
	testing the operator alertness and training X-ray	
	screeners to improve their ability in identifying	
	specific threat object. The system will create a threat object and the same will be superimposed	
	on the monitor screen while a bag is being	
	screened. To acknowledge that the operator has	
	seen the false object, operator must press the	
	control panel key that will cause the computer	
	generated threat object to disappear from x-rayed	
	bag image on the VDU screen. Each operators	
	action shall be recorded in the hard disc of the	
	computer for the auditing purpose by the	
	supervisor or other authorized person.	
·	DESIGN OF THE SYSTEM:	
	Tip software should be compatible with other X-ray	To be practically checked by the BOO.
	technologies such as automatic reject unit. Dual X-	
	Ray screen technologies, automatic treat	
	recognition system etc. All x-ray image functions	
	must be available at the same time along with the TIP.	
	IMAGE LIBRARY	•
_,	The image library should have an image library	To be practically checked by the BOO.
	containing at least 100 explosives devices, 100	•
	knives and 100 firearms in various sizes, shapes,	
	locations and orientations. However, the system	
	shall have facility to expand the library to	
	incorporate additional images by user without	
	assistance of the manufacture. The image library should contain images of threats	To be practically checked by the ROO
	at different orientations both plan and end on	10 be practically effected by the book
	orientation should be used. Although these will be	
!	assigned different file names and references, it	
	must be possible to cross-reference these as the	
	same threat. All threat image. Projection images	
	must be realistic, representative and non	•
	distinguishable from real threat items.	
	Programming facility chall be available to project	To be practically checked by the POO
	Programming facility shall be available to project threat images in different intervals. The time period	To be practically effected by the BOO.
	•	
	for threat image as well as image mix in percentage t	
	for threat image as well as image mix in percentage shall be user programmable e.g. software shall	
	for threat image as well as image mix in percentage shall be user programmable e.g. software shall select 40% images of explosive devices, 35% of fire	

Lund

100 G G G 1 3

and the second

		(103)
· K	echnical Specifications	Trial Directives
ig e 🏄	Once the screener has responded to identify the	To be practically checked by the BOO.
	computer generated threat image, it should remain	
	on the screen for a predefined user programmatic	
	feedback message shall be visible to the screener.	
	SYSTEM ADMINISTRATION	
07	The threat image projection facility shall have	To be practically checked by the BOO.
1	details of user data-base such as Department	
İ	name, screener name. Organization, User ID	1
;	Number, level of access such screener,	
	administrator, Maintenance & Password etc.	To the state of th
08	Access to start up menu should be restricted only to	
	the authorized individuals. A log-in procedure by	1
	means of Password" or "Security Key" could achieve restricted access to each of the comment.	
ì	The log-in procedure should not take longer than 20	
į	seconds. The system should have facility to by pass	1
İ	the TIP facility, if programmed so by the system	1
	administrator. It is to be ensured that the TIP	
	software shall not be hindrance to normal	·
1	functioning of x-ray machines	
09.	When the operator logs-in or logs-out message	To be practically checked by the BOO.
į	should be displayed on x-ray BIS VDU Screen to	
	confirm that the/she has been correctly logged-in or	
ļ	logged-out.	
	FEED BACK REPORT	·
10	The threat image Projection should be capable of	To be practically checked by the BOO.
	giving feedback "HIT,MISS or FALSE ALARM"	
	message. No message will be presented if a screener correctly passed as clear bag.	
11.	A "HIT" message to be presented when a screener	To be practically checked by the BOO.
	has correctly identified a Threat image Projection	l To be practically checked by the BOO.
•	Image. A "MISS" : message shall be presented	
İ	when screener fails to identify the TIP image. A	
	"False Alarm" message shall be given when	}
	screener incorrectly indicate TIP image when in fact	
	no threat image projection is present. The feedback	
	should clearly indicate in a screen that a tip object	
	has been correctly identified/the object has been	
1	missed/ that a TIP object has been missed/no TIP	
	object was present. Information should be recorded in the database.	ļ
12.	· 	To be prestically absolved beat - 200
,	Different colour coding shall be used for feedback to the Screener., It is recommended that colour code	To be practically enecked by the BOO.
}	"Red for MISS" Green for " HIT" and Yellow to	
	False Alarm or interrupt" be used.	į į
13.		To be practically checked by the BOO.
L	of events for each shift and for each Screener	

lef

Lim

3

Macay

A.S.

	echnical Specifications	Trial Directives
	performance. TIP log shall include particulars of Name of Screener, Time & date of threat image, weather threat image was successfully identified or missed etc.	
14.	The report on Threat Image Projection system may have date and time (From - to) as per requirement. Screener particulars, and decision/out come i.e. MISS, HIT or False Alarm in percentage as well in absolute numbers, numbers of bags screened, categories such as explosives devices knife or weapon etc.	!
15.	As a standard practice, daily/weekly /monthly report shall be retrieved. Report shall be for any given time and period, as per command.	· •
16.	All data should be stored on the system for a minimum of two months after it has been down loaded. No individual, regardless of access rights to the Threat Image Projection components would delete or amend any of threat image Projection data or time i.e. Threat Image Projection data on the actual X-ray machine will be read only file.	To be practically checked by the BOO.

 $(2+1)^{2} + (2+1)^{2} + (2+1)^{2} + (2+1)^{2}$

TAIX. Showing Ac CISF)

THE YOLTH

PSO(E), BPRLD

(B. C Foshi) Die BSF

SI/T ASHWANI KR.

APPROVED/NOT APPROVED

DIRECTOR GENERAL BORDER SECURITY PORCE